

DOI: <https://doi.org/10.15276/aait.05.2022.21>  
UDC 004.662.99·519.6

## Control of complex thermoelectric cooling units with mixed electrical connection in a uniform temperature field

Vladimir P. Zaykov<sup>1)</sup>

ORCID: <http://orcid.org/0000-0002-4078-3519>; gradan@i.u. Scopus Author ID: 57192640250

Vladimir I. Mescheryakov<sup>2)</sup>

ORCID: <http://orcid.org/0000-0003-0499-827X>; gradan@ua.fm. Scopus Author ID: 57192640885

Yurii I. Zhuravlov<sup>3)</sup>

ORCID: <http://orcid.org/0000-0001-7342-1031>; ivanovich1zh@gmail.com. Scopus Author ID: 57190425471

<sup>1)</sup> Research Institute “STORM”, 27, Tereshkova Str. Odessa, 65076, Ukraine

<sup>2)</sup> State Environmental University, 15, Lvivska Str. Odessa, 65026, Ukraine

<sup>3)</sup> National University “Odessa Maritime Academy”, 8, Didrikhson Str. Odessa, 65029, Ukraine

### ABSTRACT

The possibility of optimal thermal management of a number of temperature-dependent and heat-loaded elements of radio electronic equipment with calculated power dissipation is considered. Studies have been carried out in a uniform temperature field using a set of thermoelectric cooling devices and defined geometry of thermocouple branches. The correlation for determining the relative operating current depending on the relative temperature drop for a given supply voltage, thermal load and geometry of thermoelements branches has been obtained; the range of valid values of the relative operating current has been determined. A comparative analysis of the basic parameters, reliability indices and dynamic characteristics of a group of thermoelectric devices included in the complex for different supply voltages and heat loads has been made. The possibility of selecting supply voltages of thermoelectric devices complex with regard to limiting factors for mass-size, power, dynamic and reliability characteristics to ensure the optimum thermal mode of a number of thermo-dependent elements of radio electronic equipment has been shown. With increasing supply voltage of thermoelectric devices complex with mixed electrical connection in uniform temperature field at given thermal load and geometry of thermoelements branches the following results are achieved. Steady-state time increases, the number of thermoelements increases, the cooling coefficient decreases, the amount of consumed energy increases, the heat dissipation capacity of the heat sink increases, and the functional dependence of the probability of failure-free operation on the total supply voltage has a maximum.

**Keywords:** Thermoelectric cooler; thermal regime; models of communication; reliability indicators; dynamic characteristics

*For citation:* Zaykov V. P., Mescheryakov V. I., Zhuravlov Yu. I. “Control of complex thermoelectric cooling units with mixed electrical connection in a uniform temperature field”. *Applied Aspects of Information Technology*. 2022; Vol. 5 No.4 315–330. DOI: <https://doi.org/10.15276/aait.05.2022.21>

### INTRODUCTION

The thermoelectric method of thermal management of heat-loaded elements of radio electronic equipment is the most acceptable due to the absence of moving components of coolers and their solid-state nature. These circumstances ensure small size, high performance and reliability of thermoelectric coolers (TEC). At the same time, the increasingly stringent requirements for on-board equipment place new demands on its thermal management systems as well. This applies first to such fundamental indicators as reliability, responsiveness and controllability. Reliability and responsiveness are antagonistic concepts, as demanding an increase in one automatically leads to

a decrease in the other. The design challenge is to find a compromise that achieves acceptable performance relative to the target function. The management of a thermoelectric system for thermal management of apparatuses falls within the range of these objectives. The resulting reliability of a thermally loaded element and its thermal mode support system is directly determined by the reliability performance of the thermoelectric system.

This makes the problem of management of thermoelectric systems of equipment thermal modes with regard to their reliability and dynamic indicators relevant.

### LITERATURE REVIEW

Ensuring thermal condition of on board-system [1]. Increased requirements to and dimensions make thermoelectric coolers [2], the main operational

---

© Zaykov V., Mescheryakov V., Zhuravlov Yu., 2022

This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/deed.uk>)

advantages of which are increased climatic and mechanical conditions of application and ease of control [3], have no alternative. Increasing demands on the dynamics and reliability of thermally loaded equipment [4, 5] result in the need for higher thermal mode systems [6, 7]. In [8] analysis of influence of thermal loading on reliability indicators of fuel injection equipment is given, however influence of design parameters was not discussed. In [9] results of investigation of influence of design parameters of fuel injection equipment on reliability indexes are presented. In [10] an analysis of relation between current operation modes of the cooler and reliability indices is made, which allowed to choose optimal operation conditions by this criterion. At the same time, the control function requires knowledge of dynamic characteristics, which were not considered in the noted sources [11]. However, increasing the dynamic characteristics leads to decreasing the reliability performance, which is a fundamental problem [12]. For thermoelectric coolers, this is reflected in the fact that the linear thermal expansion of thermocouple and substrate materials leads to cracking of junction sites [13]. Conducted research in [14] showed the relationship of dynamic performance with the design of TEC, in [15] with the number of thermocouples, in [16] with the current modes of the product. In [17, 18], an analysis of the possibility of controlling TECs by complex criteria, including both reliability and dynamics indices, is presented. However, all these studies were conducted for a separate thermoelectric cooler without taking into account their mutual influence. An urgent task is the task of controlling a thermal mode support system that includes thermoelectric coolers connected in parallel and in series.

### PURPOSE AND OBJECTIVES OF THE RESEARCH

The aim of the work is to improve the quality of thermal management of a set of thermoelectric cooling devices with mixed electrical connection in a uniform temperature field.

To achieve this goal it is necessary to solve the following tasks:

1. To develop a mathematical model of thermoelectric system of thermal modes provision with regard for reliability indicators and functioning dynamics.

2. To analyze developed model to identify optimal characteristics of thermoelectric cooler model.

### DISTRIBUTED THERMOELECTRIC COOLER MODEL

The design features of radio electronic equipment include a dispersed arrangement of heat-loaded elements with different dissipation power. Therefore, in order to provide a given thermal mode of a number of heat-loaded elements, it is possible to use a group system of arrangement of TEC located on one heat sink. In this case, different supply voltages can be used for a group of TECs connected electrically in parallel. In doing so, the most rational ones can be identified, taking into account a number of limiting factors in terms of mass, energy, dynamic and reliability characteristics. For a group of TECs connected electrically in series, selects the mode  $Q_{0\max}$ , for one TEC in combination with different modes of operation of a group of TECs connected in parallel.

To solve the problem we shall use the known relations [19].

The number of thermocouples in a TEC can be determined from the expression:

$$n = \frac{Q_0}{I_{\max}^2 R(2B - B^2 - \Theta)}, \quad (1)$$

where  $Q_0$  is the heat load, W;  $I_{\max} = \frac{\bar{e}T_0}{R}$  is

maximum operating current, A;  $\bar{e}$  is average value of coefficient of thermal EMF of thermocouple branch, V/K;  $T_0$  is temperature of the heat-

absorbing junction, K;  $R = \frac{l}{\bar{\sigma}S}$  is electrical

resistance of thermocouple branch. Ohm;  $l$  and  $S$  are, respectively, the height and the cross-sectional

area of the thermocouple branch;  $\bar{\sigma}$  is average value of electrical conductivity of the thermocouple branch, Sm/cm;  $B = I/I_{\max}$  is relative operating

current;  $I$  is value of operating current, A;

$\Theta = \frac{T - T_0}{\Delta T_{\max}}$  is relative temperature difference;  $T$  is

temperature of fuel junction, K;  $\Delta T_{\max} = 0,5 \bar{z} T_0^2$  is

maximum temperature difference, K;  $\bar{z}$  is average value of thermoelectric efficiency of the thermocouple branch, 1/K.

The power consumption of the TEC can be determined from the expression [19]:

$$W = 2nI_{\max}^2 RB \left( B + \frac{\Delta T_{\max}}{T_0} \Theta \right). \quad (2)$$

The voltage drop  $U$  can be written as

$$U = 2nI_{\max} R \left( B + \frac{\Delta T_{\max}}{T_0} \Theta \right). \quad (3)$$

The cooling factor can be determined from the expression:

$$E = \frac{Q_0}{W}. \quad (4)$$

The relative failure rate  $\lambda/\lambda_0$  can be calculated using the formula [19]:

$$\frac{\lambda}{\lambda_0} = nB^2(\Theta + c) \frac{\left( B + \frac{\Delta T_{\max}}{T_0} \Theta \right)^2}{\left( 1 + \frac{\Delta T_{\max}}{T_0} \Theta \right)} K_T; \quad (5)$$

where  $c = \frac{Q_0}{nI_{\max}^2 R}$  is the relative heat load;  $K_T$  is

reduced temperature coefficient [19];  $\lambda_0 = 3 \cdot 10^{-8}$  is nominal failure rate, 1/hour.

The probability of failure-free operation  $P$  can be written as

$$P = \exp(-\lambda t), \quad (6)$$

where  $t$  is the designed lifetime, h.

The time of reaching the steady-state operation mode  $\tau$  can be determined from the expression [20]:

$$\tau = \frac{\sum_i m_i c_i + m_0 c_0}{R} \ln \frac{\gamma B_H (2 - B_H)}{2B - B^2 - \Theta}, \quad (7)$$

where  $m_0 c_0$  is product of mass and heat capacity of the cooling object. In our case  $m_0 c_0 \rightarrow 0$  (object is absent).

$\sum_i m_i c_i$  is the total value of products of heat capacity and mass of structural and technological elements (KTE) at the heat-absorbing junction of the

module at a given geometry of thermocouple branches (relations  $l/S$ ):

$$\gamma = \frac{I_{\max H}^2 R_H}{I_{\max K}^2 R_K};$$

$\kappa = \frac{\zeta \bar{S}}{l}$  is heat transfer coefficient, W/(cmK).


The indices  $H$  and  $K$  correspond to the start and end of the cooling process.

For an electrical connection in series, the condition must be fulfilled

$$I = B_H I_{\max H} = B_K I_{\max K}. \quad (8)$$

Hereinafter we shall consider the mixed electrical connection of TEC in the complex consisting of six TEC, three of which are connected electrically in series with heat loads  $Q_0 = 3$  W, 1.0 W, 0.5 W.

The electrical diagram of the mixed connection of the TEC complex is shown in Fig. 1.



1 -  $Q_0 = 15$ ; 2 -  $Q_0 = 10$  W; 3 -  $Q_0 = 5,0$  W

4 -  $Q_0 = 3,0$  W; 5 -  $Q_0 = 1,0$  W; 6 -  $Q_0 = 0,5$  W

**Fig. 1. Connection diagram of thermoelectric coolers:**

1 -  $Q_0 = 15$  W; 2 -  $Q_0 = 10$  W; 3 -  $Q_0 = 10$  W;

4 -  $Q_0 = 3$  W; 5 -  $Q_0 = 1.0$  W; 6 -  $Q_0 = 0.5$  W.

**TEC 1, 2, 3 are connected electrically in series and TEC 4, 5, 6 are connected in parallel**

Source: compiled by the authors

Let's consider the electrical connection of a group of TECs in series.

Results of calculations of basic parameters, reliability indices and dynamic characteristics of the group of fuel and energy units in series electrical connection of TEC in uniform temperature field  $T_0 = 260$  K with different thermal load  $Q_0 = 5.0, 10.0, 15.0$  W at fixed geometry of thermoelement branches (ratio  $l/S$ ) are given in Table 1.

**Table 1. Series electrical connection of TECs (TEC 1, 2, 3).**  
**Mode**  $Q_{\max}$  ( $B_1 = 1$ ),  $\Theta = 0,5$ ,  $l/S = 4,5$ ,  $E = 0,216$ ,  $\tau = 7,6s$ ,  $T - T_c = 5K$

$Q_0, W$	$n, pcs$	$W, W$	$U, V$	$\alpha F, W/K$	$N, W \cdot s$	$\lambda/\lambda_0$	$\lambda \cdot 10^8, 1/h$	$P$
15.0	53.5	69.3	6.2	16.9	527	54.7	164	0.9837
10.0	35.7	46.2	4.2	11.2	351	36.5	110	0.9891
5.0	17.8	23.0	2.1	5.6	175	18.2	54.6	0.9946
$\Sigma$ 30.0	107	138.5	12.5	33.7	1054	109.4	328	0.9677

Source: compiled by the authors

With growth of thermal load  $Q_0$  at a given temperature difference  $\Delta T = 40K$  for a group of TEC (1, 2, 3) with series connection: the number of thermoelements  $n$ , voltage drop  $U$ , required heat dissipation capacity of the radiator  $\alpha F$ , power consumption  $W$ , relative failure rate  $\lambda/\lambda_0$ , amount of energy  $N$  consumed increase, probability of no-failure operation  $P$  decreases.

At the same time the value of operation current  $I = 11.1A$ , cooling factor  $E = 0.216$ , time to the steady-state operation  $\tau = 7.6 s$  remain constant and do not depend on the value of thermal load  $Q_0$ .

Let's consider a group of TECs with parallel electrical connection in a cascade.

Using relations (1) and (3) we can write the expression for the supply voltage  $U$  of the TEC:

$$U = \frac{2Q_0 \left( B + \frac{\Delta T_{\max}}{T_0} \Theta \right)}{I_{\max} (2B - B^2 - \Theta)},$$

or


$$A = \frac{2B - B^2 - \Theta}{B + \frac{\Delta T_{\max}}{T_0} \Theta},$$

where  $A = \frac{2Q_0}{UI_{\max}}$ .

Fig. 2 shows the dependence of the value  $A$  on the relative operating current  $B$  for different temperature drops  $\Delta T$  at  $T = 300K$ ,  $l/S = 4.5$ . The functional dependence  $A = f(B)$  has a maximum for different temperature drops  $\Delta T$ . With increasing temperature difference  $\Delta T$  the value  $A$  decreases. The geometric location of the points corresponding to the maximum values  $A_{\max}$  of is indicated by a dotted line.

The optimum operating current  $B_{opt}$  corresponding to the maximum values  $A_{\max}$  of the value  $\frac{dA}{dB} = 0$  for different drops in temperature  $\Delta T$  can be determined from the condition:


$$B_{opt} = \frac{\Delta T_{\max}}{T_0} \Theta \left[ \sqrt{1 + \frac{2 \frac{\Delta T_{\max}}{T_0}}{\left( \frac{\Delta T_{\max}}{T_0} \right)^2 \Theta}} - 1 \right].$$



**Fig. 2. Dependence of the value  $A = \frac{2Q_0}{UI_{\max}}$  of the group of TECs with parallel electric connection on the relative operating current  $B$  for different temperature drops  $\Delta T$  at  $T = 300K$ ;  $l/S = 4.5$**   
 Source: compiled by the authors

Fig. 3 shows the dependence  $B_{opt} = f(\Theta)$  of the optimum relative operating current  $B_{opt}$  on the relative temperature drop  $\Theta$ .

As the relative temperature drop  $\Theta$  increases, the optimum relative operating current  $B_{opt}$  increases at,  $\Theta \rightarrow 1 \ B_{opt} \rightarrow 1.0$ .



**Fig. 3. Dependence of optimum relative operating current  $B_{opt}$  and  $A_{max} = \frac{2Q_0}{UI_{max}}$  on relative temperature difference  $\Theta$  at  $T = 300K$ ;  $l/S = 4.5$**   
Source: compiled by the authors

Fig. 3 shows the dependence  $A_{max} = f(\Theta)$  of the maximum value  $A_{max}$  on the relative temperature drop  $\Theta$ . With increasing relative temperature difference  $\Theta$  the value  $A_{max}$  decreases and at  $\Theta \rightarrow 1.0 \ A_{max} \rightarrow 0$ .


Using the relation  $A = \frac{2Q_0}{UI_{max}}$  it is possible to determine the minimum value of the supply voltage  $U_{min}$  of a group of TECs with parallel electric connection at a given geometry of thermocouple branches (ratio  $l/S = 4.5$ ) for different thermal load  $Q_0$ :

$$U_{min} = \frac{2Q_0}{A_{max}I_{max}}.$$

Fig. 4 shows the dependence of the minimum supply voltage  $U_{min}$  of a group of parallel-connected TEC units on the value  $A_{max}$  for

different temperature gradients  $\Delta T$  and heat loads  $Q_0$ .

As the thermal load  $Q_0$  increases, the value of the minimum supply voltage  $U_{min}$  increases for different temperature differences  $\Delta T$ . By evaluating the value  $U_{min}$ , it is possible to select the supply voltage value  $U \geq U_{min}$  for the group of TECs with parallel electrical connection.



**Fig. 4. Dependence of the minimum voltage drop  $U_{min}$  of a parallel-coupled TEC complex on the value  $A$  for different heat loads  $Q_0$  at  $l/S = 4.5$ ;  $\Delta T = 40K$**   
Source: compiled by the authors

Using relations (1) and (3) it is possible to determine the relative operating current  $B$  for the parallel electric connection of TEC in the complex at a given supply voltage  $U$ , heat load  $Q_0$  and relative temperature drop  $\Theta$  with fixed geometry of thermocouple branches  $l/S$ :

$$B = \frac{2-A}{2} \left[ 1 - \sqrt{1 - \frac{4\Theta \left( 1 + A \frac{\Delta T_{max}}{T_0} \right)}{(2-A)^2}} \right], \quad (9)$$

where  $A = \frac{2Q_0}{UI_{max}}$ .

Analysis of relation (9) shows that in the absence of a heat load  $Q_0 = 0$ ,  $A \rightarrow 0$ , expression (9) can be written as

$$B = 1 - \sqrt{1 - \Theta} . \quad (10)$$


The range of valid values relative to the operating current  $B$  can be determined according to (9) from the condition:

$$\frac{4\Theta \left( 1 + A \frac{\Delta T_{\max}}{T_0} \right)}{(2 - A)^2} \leq 1. \quad (11)$$

The maximum value of the value  $A_{\max}$  can be determined from the expression:

$$A_{\max} = 2 \left( 1 + \frac{\Delta T_{\max}}{T_0} \Theta \right) \left[ 1 - \sqrt{1 - \frac{1 - \Theta}{\left( 1 + \frac{\Delta T_{\max}}{T_0} \Theta \right)^2}} \right] \quad (12)$$

As the relative temperature difference  $\Theta$  increases, the value  $A_{\max}$  decreases (Fig. 3). With a given value  $A = \frac{2Q}{UI_{\max}}$ , the relative operating current  $B$  can be determined for different temperature differences  $\Delta T$  (Fig. 5). As the value  $A$  increases from  $A=0$  to  $A_{\max}$  the relative operating current  $B$  increases and reaches its maximum value.



**Fig. 5. Dependence of the relative operating current  $B$  of a group of TECs with parallel electric connection on the value  $A$  for different temperature differences  $\Delta T$  at  $T=300K$ ;  
 $l/S=4.5$**

Source: compiled by the authors

From relation (9) it can be written:

$$U_{\min} = \frac{2U_0}{A_{\max} I_{\max}} . \quad (13)$$

The value  $A$  of the minimum supply voltage decreases  $U_{\min}$  with increasing magnitude. As the thermal load  $Q_0$  increases, the minimum supply voltage  $U_{\min}$  increases with a fixed value of  $A$ .

It should be noted that if the cooling system consists  $M$  of independent elements (TEC) and the probability of failure of the  $i$ -th element is equal to  $P_i(t)$ , then the total probability of failure of the system is [19]:

$$P_{\Sigma}(t) = P_1(t) \cdot P_2(t) \cdot \dots \cdot P_i(t) \cdot \dots \cdot P_M(t) = \prod_{i=1}^M P_i(t) \quad (14)$$

The total refrigeration factor  $E_{\Sigma}$  for a mixed electrical connection of the TEC unit can be determined from the expression:

$$E_{\Sigma} = \frac{\sum_{i=1}^M Q_{0i}}{\sum_{i=1}^M W_i} = \frac{\sum_{i=1}^M Q_{0i}}{\sum_{i=1}^M W_i + I_{\Sigma} U_4} , \quad (15)$$

where  $I_{\Sigma}$  is the value of the operating current depending on the selected current mode of operation of the TEC in series;  $U_4$  is the set supply voltage for the three TECs in parallel connection.

Power supply of the complex with mixed electrical connection of TECs is provided by the value of the current of the selected current mode of operation by the group of TECs with series electrical connection, and the group of TECs connected in parallel by the value of the current, determined by the relation (9) for the given supply voltage.

We will use a system of equations to determine the main parameters, reliability indices and dynamic characteristics of the part of the TEC complex with electrical connection in parallel:

$$\begin{cases} B_{\Sigma} = B_1 + B_2 + B_3 \\ B_1^2 - B_1(2 - A_1) + \Theta \left( 1 + A_1 \frac{\Delta T_4}{T_0} \right) = 0 \\ B_2^2 - B_2(2 - A_2) + \Theta \left( 1 + A_2 \frac{\Delta T_4}{T_0} \right) = 0 \\ B_3^2 - B_3(2 - A_3) + \Theta \left( 1 + A_3 \frac{\Delta T_4}{T_0} \right) = 0 \end{cases} ,$$

where  $B_{\Sigma}$  is the relative operating current of a part of a series-connected TEC complex operating in  $Q_{0max}$ , i.e.  $B_{\Sigma}=0.956$ .  $B_1, B_2, B_3$  are respectively, the relative operating currents of the three parallel circuits.

$$A_1 = \frac{2Q_{01}}{U_4 I_{max}}; A_2 = \frac{2Q_{02}}{U_4 I_{max}}; A_3 = \frac{2Q_{03}}{U_4 I_{max}},$$

where  $Q_{01}, Q_{02}, Q_{03}$  are, respectively, the heat load of the corresponding parallel circuit. The geometry of thermocouple branches is the same and is chosen to be  $l/S = 4.5$ ;  $U_4$  is the supply voltage is given and can take design values;  $\Theta = 0.5$  is the relative difference is the same in all chains in a uniform temperature field.

### MODEL ANALYSIS OF THE THERMOELECTRIC COOLER COMPLEX

Results of calculations of basic parameters, reliability indices, dynamic characteristics of the whole complex of thermoelectric coolers with parallel electric connection in uniform temperature field  $T_0=260K$  with different thermal load  $Q_0=0.5, 1.0, 3.0$  W at fixed geometry of thermoelements branches (ratio  $l/S = 4.5$ ), using different supply voltages, are presented in Table 2.

A graphical method can be used to determine the relative operating current  $B$  in each parallel circuit (TEC from a group with parallel electrical connection).

Fig. 6 shows the dependence of the supply voltage  $U$  of a group of TECs in parallel connection on the relative operating current  $B$  for different thermal loads  $Q_0$  in a uniform temperature field  $T_0=260$  K.

The functional dependence  $U = f(B)$  has a minimum:

1.  $U_{min} = 1.10V$  at  $B_{opt} = 0.8$  for  $Q_0 = 3.0W$ ;
2.  $U_{min} = 0.75V$  at  $B_{opt} = 0.8$  for  $Q_0 = 2.0W$ ;
3.  $U_{min} = 0.35V$  at  $B_{opt} = 0.8$  for  $Q_0 = 1.0W$ ;
4.  $U_{min} = 0.15V$  at  $B_{opt} = 0.8$  for  $Q_0 = 0.5W$ .

When selecting the supply voltage  $U$  for a group of TECs with parallel electric connection, the condition  $U \geq U_{min}$  must be observed.

As the supply voltage  $U$  increases for a group of parallel-connected TECs for different thermal loads  $Q_0$  in a uniform temperature field  $T_0=260K$ :




Fig. 6. Dependence of the supply voltage  $U$  of a group of parallel-connected TECs on the relative operating current  $B$  for different heat loads  $Q_0$  at  $T = 300K$ ;  $l/S = 4.5$ ;  $\Delta T = 40K$

Source: compiled by the authors

– the magnitude of the operating current  $I$  decreases (Fig. 7). As the thermal load  $Q_0$  increases, the operating current  $I$  increases at a fixed supply voltage  $U$ ;




Fig. 7. Dependence of the operating current  $I$  of the TEC from the group with parallel electric connection on the supply voltage  $U$  for different thermal loads  $Q_0$  at  $T = 300K$ ;  $l/S = 4.5$ ;

$\Delta T = 40K$

Source: compiled by the authors


Table 2. Parallel connection of a group of TEC's in a complex.

$$T = 300 K, \Theta = 0.5, l/S = 4.5, T - T_0 = 5 K$$

$Q_0, W$	$B$	$I, A$	$n, PCs$	$A$	$W, W$	$E$	$\tau, s$	$\alpha F, W/K$	$N, W \cdot s$	$\lambda/\lambda_0$	$\lambda \cdot 10^8$ 1/h	$P$
$U = 1.2V$												
3.0	0.60	6.6	15.7	0.45	8.0	0.375	10.5	2.2	84.0	210	6.2	0.99938
2.0	0.43	4.8	20.4	0.298	5.77	0.347	14.8	1.55	85.0	0.66	2.0	0.99980
1.0	0.35	3.8	23.8	0.15	4.7	0.216	23.4	1.14	110	0.32	0.96	0.99990
0.50	0.31	3.5	26.0	0.075	4.3	0.12	31.0	1.0	133	0.24	0.71	0.999930
4.5	-	13.9	65.5	-	17.0	0.265	31.0	4.3	327	2.66	8.0	0.99920
$U = 1.5V$												
3.0	0.48	5.3	23.4	0.36	8.0	0.376	13.4	2.2	197	1.2	3.6	0.99964
2.0	0.392	4.39	27.2	0.238	6.58	0.304	17.1	1.7	113	0.605	1.82	0.99982
1.0	0.33	3.7	30.2	0.12	5.6	0.18	25.7	1.3	144	0.35	1.06	0.99989
0.5	0.31	3.4	32.0	0.06	5.2	1.10	33.3	1.1	173	0.28	0.83	0.99992
4.5	-	12.4	85.6	-	18.8	0.24	33.3	4.6	424	1.83	5.5	0.99945
$U = 2.0V$												
3.0	0.41	4.55	35	0.27	9.1	0.33	16.0	2.4	146	0.95	2.8	0.99972
2.0	0.362	4.05	38.1	0.179	8.05	0.248	20.0	2.0	162	0.606	1.82	0.99982
1.0	0.32	3.60	42	0.09	7.2	0.14	27.3	1.6	196	0.42	1.25	0.99987
0.5	0.31	3.40	43	0.045	6.8	0.07	34.2	1.5	231	0.32	1.0	0.99990
4.5	-	11.5	120	-	23.1	0.195	34.2	5.5	573	1.69	5.07	0.99949
$U = 3.0V$												
3.0	0.36	4.0	58.0	0.18	12.1	0.25	21.3	3.0	258	0.91	2.74	0.99973
2.0	0.335	3.6	60.8	0.119	11.3	0.177	24.4	2.7	275	0.70	2.10	0.99979
1.0	0.31	3.5	64.0	0.06	10.5	0.10	33.3	2.3	350	0.55	1.7	0.99983
0.5	0.30	3.3	63.0	0.03	9.8	0.05	41.5	2.0	405	0.52	1.6	0.99984
4.5	-	10.8	184	-	32.4	0.139	41.5	7.3	1013	2.0	6.0	0.99940
$U = 4.0V$												
3.0	0.342	3.80	80.0	0.135	15.2	0.20	25	3.6	372	1.0	3.0	0.99970
2.0	0.324	3.63	82.4	0.089	14.4	0.14	27	3.3	393	0.824	2.47	0.99975
1.0	0.31	3.42	86.0	0.045	13.7	0.073	36	2.9	496	0.70	2.1	0.99979
0.15	0.30	3.33	89.0	0.0225	13.6	0.040	44	2.8	602	0.65	1.95	0.99980
4.5	-	10.6	255	-	42.5	0.106	44	9.4	1470	2.3	6.9	0.99931
$U = 6.0V$												
3.0	0.324	3.60	125	0.09	21.7	0.14	28.9	4.9	627	1.25	3.7	0.99962
2.0	0.313	3.5	126.5	0.0595	20.9	0.0956	31.4	4.6	657	1.10	3.3	0.99967
1.0	0.303	3.40	130	0.03	20.2	0.05	40.7	4.2	822	0.98	2.9	0.99971
0.15	0.298	3.3	131	0.015	19.8	0.025	48.2	4.1	954	0.93	2.8	0.99972
4.5	-	10.3	385	-	61.7	0.073	48.2	13.2	2403	3.2	9.6	0.99905
$U = 9.0V$												
3.0	0.313	3.5	191	0.06	31.4	0.096	33.3	6.9	1046	1.66	5.0	0.99950
2.0	0.306	3.4	193	0.04	30.7	0.065	35.4	6.5	1086	1.52	4.6	0.99954
1.0	0.30	3.35	198	0.02	30.2	0.033	45.2	6.2	1365	1.43	4.3	0.99957
0.5	0.296	3.29	203	0.01	30.3	0.017	52.9	6.15	1603	1.40	4.2	0.99958
4.5	-	10/1	592	-	91.9	0.049	52.9	19/3	4014	4.5	13.5	0.9987
$U = 12.0V$												
3.0	0.308	3.42	256	0.045	40.5	0.074	34.2	8.7	1385	2.0	6.9	0.99938
2.0	0.308	3.39	260	0.030	40.6	0.049	38.0	8.2	1543	1.97	5.9	0.99941
1.0	0.298	3.30	266.4	0.015	39.8	0.025	45.3	8.2	1803	1.88	5.6	0.99944
0.5	0.2953	3.28	265.2	0.0075	39.1	0.013	52.3	7.9	2045	1.80	5.4	0.99946
4.5	-	10.0	788	-	119.4	0.038	52.3	24.8	5233	5.68	17.0	0.9983


Source: compiled by the authors

– the number of thermocouples  $n$  increases (Fig. 8). As the heat load  $Q_0$  increases, the number of thermocouples  $n$  decreases at a fixed supply voltage  $U$  ;




**Fig. 8. Dependence of the number of thermoelectric cells  $n$  of the group with parallel electric connection on the supply voltage  $U$  for different heat loads  $Q_0$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $\Delta T=40\text{K}$**   
 Source: compiled by the authors

– the cooling factor  $E$  decreases (Fig. 9). As the heat load  $Q_0$  increases, the cooling factor  $E$  increases at a fixed supply voltage  $U$  ;




**Fig. 9. Dependence of the cooling factor  $E$  of the TEC from the group with parallel electric connection on the supply voltage  $U$  for different heat loads  $Q_0$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $\Delta T=40\text{K}$**   
 Source: compiled by the authors

– the ramp-up time  $\tau$  increases (Fig. 10). As the heat load  $Q_0$  increases, the ramp-up time  $\tau$  at a fixed supply voltage decreases  $U$  ;




**Fig. 10. Dependence of the steady-state operation time  $\tau$  of the TEC from the group with parallel electric connection on the supply voltage  $U$  for different loads  $Q_0$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $\Delta T=40\text{K}$**   
 Source: compiled by the authors

– the required heat dissipation capacity of the heat sink  $\alpha F$  increases (Figure 11). With increasing thermal load  $Q_0$ , the amount of energy  $N$  expended decreases at a fixed supply voltage  $U$  ;




**Fig. 11. Dependence of heat dissipation capacity of the heat sink  $\alpha F$  of the TEC from the group with parallel electric connection on supply voltage  $U$  for different heat loads  $Q_0$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $\Delta T=40\text{K}$**   
 Source: compiled by the authors

– the amount of energy consumed  $N$  increases (Fig. 12). As the heat load  $Q_0$  increases, the amount of energy expended  $N$  decreases at a fixed supply voltage  $U$  ;



**Fig. 12. Dependence of the amount of energy expended  $N$  by a TECs from a group with parallel electric connection on the supply voltage  $U$  for different heat loads  $Q_0$  at  $T=300K$ ;  $l/S=4.5$ ;  $\Delta T=40K$**   
 Source: compiled by the authors


– the functional dependence of the relative failure rate  $\lambda/\lambda_0 = f(U)$  on the supply voltage  $U$  has a minimum for different thermal loads  $Q_0$  (Fig. 13).



**Fig. 13. Dependence of the relative failure rate  $\lambda/\lambda_0$  from the group with parallel electrical connection on the supply voltage  $U$  for different thermal loads  $Q_0$  at  $T=300K$ ;  $l/S=4.5$ ;  $\Delta T=40K$**   
 Source: compiled by the authors

As the thermal load  $Q_0$  increases, the relative failure rate  $\lambda/\lambda_0$  increases with a fixed supply voltage  $U$  ;

– the functional dependence of the probability of failure-free operation  $P = f(U)$  on the supply voltage  $U$  has a maximum for different thermal load  $Q_0$  (Fig. 14). As the thermal load  $Q_0$  increases, the failure probability  $Q_0$  decreases at a fixed supply voltage  $U$  .



**Fig. 14. Dependence of the probability of no-failure operation  $P$  of the TEC from the group with parallel electric connection on the supply voltage  $U$  for different heat loads  $Q_0$  at  $T=300K$ ;  $l/S=4.5$ ;  $\Delta T=40K$**   
 Source: compiled by the authors

Thus, at a given supply voltage  $U$  for each TEC of the group with parallel electric connection, as the thermal load  $Q_0$  increases in a uniform temperature field  $T_0=260K$ :

– increases: relative operating current  $B$ , operating current magnitude  $I$ , power consumption  $W$ , cooling factor  $E$ , required heat dissipation capacity of the heat sink  $\alpha F$ , relative failure rate  $\lambda/\lambda_0$  ;

– decreases number of thermocouples  $n$ , power consumption  $N$ , probability of no-failure operation  $P$ , time to steady-state operation  $\tau$  .

To facilitate comparative analysis, the basic parameters, reliability indexes and dynamic characteristics of a group of three electrically connected in parallel TECs, arranged in a uniform temperature field, are shown in Table 3.

**Table 3. Basic parameters for a group of parallel-connected TECs in a uniform temperature field**


$$T = 300\text{ K}, Q_0 = 4.5\text{ W}, l/S = 4.5, T - T_c = 5\text{ K}, \Delta T = 40\text{ K}$$

$U, \text{V}$	$n, \text{pcs}$	$W, \text{W}$	$E$	$\tau, \text{s}$	$N, \text{W}\cdot\text{s}$	$\alpha F, \text{W/K}$	$I, \text{A}$	$\lambda/\lambda_0$	$\lambda \cdot 10^8$ 1/h	$P$
1.2	65.5	17.0	0.265	31.0	327	4.3	13.9	2.66	8.0	0.99920
1.5	85.6	18.8	0.24	33.0	424	4.6	12.4	1.83	5.5	0.99945
2.0	120	23.1	0.20	34.0	573	5.5	11.5	1.70	5.1	0.99949
3.0	184	32.4	0.14	42.0	1010	7.3	10.8	2.0	6.0	0.99940
4.0	255	42.5	0.11	44.0	1470	9.4	10.6	2.3	6.9	0.99981
6.0	385	61.7	0.073	48.0	2400	13.2	10.3	3.2	9.6	0.99905
9.0	592	92.0	0.05	53.0	4000	19.3	10.1	4.5	13.5	0.9987
12.0	788	119.4	0.04	52.0	5200	24.8	10.0	5.7	17.0	0.9983

Source: compiled by the authors

As the supply voltage  $U$  of a group of parallel-connected TECs increases with a thermal load  $Q_0 = 4.5\text{ W}$ , thermocouple branch geometry  $Q_0 = 4.5$  in a uniform temperature field  $T_0 = 260\text{K}$ :


- the number of thermocouples  $n$  increases (Fig. 15, item 1);
- cooling coefficient  $E$  decreases (Fig. 15, item 2);
- steady-state operation time  $\tau$  increases (Fig. 15, item 3);



**Fig. 15. The dependence of the number of thermocouples  $n$ , refrigeration coefficient  $E$ , time to steady state operation of a group of TECs with parallel electric connection on the supply voltage  $U$  in a uniform temperature field at  $l/S = 4.5$ ;  $Q_0 = 4.5\text{ W}$ ;  $T - T_c = 5\text{K}$ ;  $\Delta T = 40\text{K}$**

Source: compiled by the authors


- the required heat dissipation capacity of the heat sink  $\alpha F$  increases (Fig. 16, item 1);
- the amount of consumed energy  $N$  increases (Fig. 16, item 2);



**Figure 16: Dependence of heat dissipation capacity of the heat sink  $\alpha F$ , amount of energy expended  $N$  by the group of TEC with parallel electric connection on supply voltage  $U$  in a uniform temperature field at  $l/S = 4.5$ ,  $Q_0 = 4.5\text{W}$ ,  $T - T_c = 5\text{K}$ ,  $\Delta T = 40\text{K}$**

Source: compiled by the authors

- the functional dependence of relative failure rate  $\lambda/\lambda_0 = f(U)$  on supply voltage has a maximum at  $U = 2.0\text{ V}$  (Fig. 17, item 1);
- the functional dependence of the probability of no-failure operation  $P = f(U)$  on the supply voltage  $U$  has a maximum at  $U = 2.0\text{ V}$  (Fig. 17, item 2).



**Fig. 17. Relative failure rate  $\lambda/\lambda_0$  and probability of failure  $P$  for a group of parallel-connected TECs versus supply voltage  $U$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $Q_0=4.5\text{W}$ ;  $\Delta T=40\text{K}$ ,  $\lambda_0=3 \cdot 10^{-8}1/\text{h}$ ;  $t=10^4\text{h}$**   
Source: compiled by the authors


### DISCUSSION OF RESEARCH RESULTS

The results of calculations of the basic parameters, reliability indicators and dynamic characteristics of the TEC complex with mixed electrical connection (three TEC connected in series, the other three in parallel) in a uniform temperature field  $T_0=260\text{K}$  and thermal load  $Q_{0\Sigma}=34.5\text{W}$ , are given in Table 4.

As the supply voltage  $U_0$  of a mixed electrical connection TEC complex increases in a uniform temperature field  $T_0=260\text{K}$  at a thermal load

$Q_0=34.5\text{W}$  and a branch geometry of thermocouples  $l/S=4.5$ :

- the time to reach steady-state operation  $\tau$  increases (Fig. 18, item 1);
- number of thermocouples  $n$  increases (Fig. 18, item 2);
- cooling factor  $E$  decreases (Fig. 18, item 3);




**Fig. 18. Dependence of refrigerating factor  $E$ , number of thermocouples  $n$ , time of steady-state operation of TEC complex with mixed electrical connection on total supply voltage  $U$  at  $T=300\text{K}$ ;  $l/S=4.5$ ;  $Q_0=4.5\text{W}$ ;  $\Delta T=40\text{K}$ ;  $Q_{0\Sigma}=34.5\text{W}$**   
Source: compiled by the authors

- increases the energy  $N$  input (Fig. 19, item 1);
- the heat dissipation capacity of the heat sink  $\alpha F$  increases (Fig. 19, item 2);

**Table 4. Main relevant parameters of the TEC complex in mixed electrical connection**  
 $T=300\text{K}$ ,  $\Delta T=40\text{K}$ ,  $l/S=4.5$ ,  $T-T_c=5\text{K}$ ,  $Q_{02}=34.5\text{W}$ ,  $I_0=11.1\text{A}$

No.	$U, \text{V}$	$W, \text{W}$	$U_{\text{---}}, \text{V}$	$E$	$\tau, \text{s}$	$\alpha F, \text{W/K}$	$N, \text{W}\cdot\text{s}$	$n, \text{pcs}$	$\lambda/\lambda_0$	$\lambda \cdot 10^8$ $1/\text{h}$	$P$
1	1.2	155.4	13.7	0.222	310	38.0	1380	172	112.1	336.3	0.96693
2	1.5	157.3	14.0	0.219	33.0	38.4	1478	192	111.2	333.6	0.96719
3	2.0	161.6	14.5	0.213	36.0	39.2	1662	226	111.1	333.4	0.967219
4	3.0	171.0	15.5	0.202	41.5	41.1	2067	291	111.4	334.1	0.96714
5	4.0	181.0	16.5	0.191	44.1	43.1	2524	362	111.7	335.2	0.96704
6	6.0	200.0	18.5	0.173	48.2	46.9	3457	492	112.6	337.7	0.96680
7	9.0	230.0	21.5	0.150	52.9	53.0	5068	700	113.9	341.7	0.96640

Source: compiled by the authors



**Fig. 19. Dependence of heat dissipation capacity of the heat sink  $\alpha F$ , the amount of energy expended  $N$  by the mixed electrical connection of the TEC complex on the total supply voltage  $U$  at  $T = 300\text{K}$ ;  $l/S = 4.5$ ;  $Q_0 = 4.5\text{W}$ ;  $\Delta T = 40\text{K}$ ;  $Q_{0\Sigma} = 34.5\text{W}$**


Source: compiled by the authors

– functional dependence of relative failure rate  $\lambda/\lambda_0 = f(U_0)$  on total supply voltage  $U_0$  has a minimum at  $U_0 = 14.5\text{V}$  ( $(\lambda/\lambda_0)_{\min} = 111.1$  (Fig. 20, item 1);

– the functional dependence of the probability of no-failure operation  $P = f(U_0)$  on the total supply voltage  $U_0$  has a maximum at  $U_0 = 14.5\text{V}$ ,  $P_{\max} = 0.96722$  (Fig.20, item 2).

### CONCLUSIONS

A mathematical model of a thermal mode support system based on a set of thermoelectric coolers (3 TECs connected electrically in series and the other three connected in parallel) has been developed. The cooling system is designed to control thermal conditions of a number of temperature-dependent elements of electronic equipment in the



**Fig. 20. Dependence of relative failure rate  $\lambda/\lambda_0$ , probability  $P$  of no-failure operation of mixed electrical connection TEC complex on total supply voltage  $U$  at  $T = 300\text{K}$ ;  $l/S = 4.5$ ;  $Q_0 = 4.5\text{W}$ ;  $\Delta T = 40\text{K}$ ;  $Q_{0\Sigma} = 34.5\text{W}$**

Source: compiled by the authors

uniform temperature field with different thermal load at fixed geometry of thermoelement branches.

2. Relations for determining a relative operating current at given supply voltage and temperature difference and thermal load for a group of thermoelements with parallel electric connection have been obtained.

3. The comparative analysis of the main parameters, reliability indices and dynamic characteristics of the complex of fuel injection equipment with mixed electric connection depending on supply voltage of the group of fuel injection equipment with parallel electric connection is carried out.

Analysis of the research results showed the possibility of selecting the optimum supply voltage, taking into account the requirements for mass-dimensional, energy, dynamic characteristics of the fuel-electric power unit complex and increasing its reliability indicators.

### REFERENCES

1. Gordon, N. E. “Thermal computations for electronics, conductive, radioactive and convective air cooling”. *CRC Press. Boca Raton*. 2020. 404 p. ISBN 9781003029328. DOI: <https://doi.org/10.1201/9781003029328>.
2. Sulaiman, A. C., Amin, N. A. M., Basha, M. H., Majid, M. S. A., Nasir, N. F. b. M. & Zaman, I. “Cooling performance of thermoelectric cooling (TEC) and applications: A Review. *MATEC*” *Web Conf*. 2018; Vol. 225: 03021. DOI: <https://doi.org/10.1051/mateconf/201822503021>.

3. Venkatesan, K. & Venkataramanan, M. “Experimental and simulation studies on thermoelectric cooler: A performance study approach”. *International Journal of Thermophysics*; 2020; 41. DOI: <https://doi.org/10.1007/s10765-020-2613-2>.
4. Wang, L. Q., Zhou, L. & Fan, H. T. “Design of cooling system for infrared CCD camera used to monitor burden surface of blast furnace based on thermoelectric coolers”. *Applied Mechanics and Materials*. 2013; 419: 778–783. DOI: <https://doi.org/10.4028/www.scientific.net/AMM.419.778>.
5. Yu, J., Zhu, Q., Kong, L., Wang, H. & Zhu, H. “Modeling of an integrated thermoelectric generation–cooling system for thermoelectric cooler waste heat recovery”. *College of Aerospace and Civil Engineering, Harbin Engineering University, Harbin 150001, China. Energies*. 2020; 13 (18): 4691. DOI: <https://doi.org/10.3390/en13184691>.
6. Manikandan, S., Kaushik, S.C. & Yang, R. “Modified pulse operation of thermoelectric coolers for building cooling applications”. *Energy Conversion and Management*. 2017; 140: 145–156. DOI: <https://doi.org/10.1016/j.enconman.2017.03.003>.
7. Dong, X. & Liu, X. “Multi-objective optimal design of microchannel cooling heat sink using topology optimization method”. *Numerical Heat Transfer, Part A: Applications*. 2020; 77 (1): 90–104. DOI: <https://doi.org/10.1080/10407782.2019.1682872>.
8. Ebale, L. O., Pierre Gomat, L. J., Nzonzolo, L., Mavoungou, M. R. & Kibongani, F. “Optimization of a thermoelectric cooling system with peltier effect”. *Am. J. Energ. Eng.* 2019; 7 (3): 55–63. DOI: <https://doi.org/10.11648/j.sjee.20190703.12>.
9. Erturun, U., Mossi, K. & “A Feasibility investigation on improving structural integrity of thermoelectric modules with varying geometry”. 2012. p. 939-945 DOI: <https://doi.org/10.1115/SMASIS2012-8247>.
10. Cai, Y., Wang, Y., Liu, D. & Zhao, F.-Y. “Thermoelectric cooling technology applied in the field of electronic devices: updated review on the parametric investigations and model developments”. *Appl. Therm. Eng.* 2019; 148: 238–255. DOI: <https://doi.org/10.1016/j.applthermaleng.2018.11.014>.
11. Irshad, K., Almalawi, A., Khan, A. I., Alam, M. M., Zahir, M. H. & Ali, A. “An IoT-Based thermoelectric air management framework for smart building applications: a case study for tropical climate”. *Sustainability*. 2020; 12(4): 1–18. DOI: <https://doi.org/10.3390/su12041564>.
12. Ngo, T.-T., Wang, C.-C., Chen, Y.-T. & Than, V.-T. “Developing a thermoelectric cooling module for control temperature and thermal displacement of small built-in spindle”. *Therm. Sci. Eng. Prog.* 2021; 25: 100958. DOI: <https://doi.org/10.1016/j.tsep.2021.100958>.
13. Choi, H. S., Seo, W. S. & Choi, D. K. “Prediction of reliability on thermoelectric module through accelerated life test and physics-of-failure”. *Electron. Mater. Lett.* 2011; 7. DOI: <https://doi.org/10.1007/s13391-011-0917-x>.
14. Song, H., Song, K. & Gao, C. “Temperature and thermal stress around an elliptic functional defect in a thermoelectric material”. *Mechanics of Materials*. 2019; 130: 58–64. DOI: <https://doi.org/10.1016/j.mechmat.2019.01.008>.
15. Karri, N. K. & Mo, C. “Structural reliability evaluation of thermoelectric generator modules: influence of end conditions, leg geometry, metallization, and processing temperatures”. *Journal of Electronic Materials*. 2018; 47 (10): 6101–6120. DOI: <https://doi.org/10.1007/s11664-018-6505-1>.
16. Kim, H. S., Wang, T., Liu, W., & Ren, Z. “Engineering thermal conductivity for balancing between reliability and performance of bulk thermoelectric generators”. *Advanced Functional Materials*. 2016; 26: 3678–3686. DOI: <https://doi.org/10.1002/adfm.201600128>.
17. Zaykov, V., Mescheryakov, V. & Zhuravlov, Yu. “Studying the influence of the thermoelectric materials parameters on the dynamics of singlecascade cooling devices”. *Eastern-European Journal of Enterprise Technology*. <https://www.scopus.com/authid/detail.uri?authorId=57192640885>. 2020; 8 (103): 6–18. DOI: <https://doi.org/10.15587/1729-4061.2020.195730>.
18. Zaykov, V., Mescheryakov, V. & Zhuravlov, Yu. “Designing a singlecascade thermoelectric cooler with the predefined time to enter a stationary mode of operation”. *Eastern-European Journal of Enterprise*

*Technologies*. <https://www.scopus.com/authid/detail.uri?authorId=57192640885>. 2019; 102: 38–46. DOI: <https://doi.org/10.15587/1729-4061.2019.184400>.

19. Zaykov, V.P., Kinshova, L. A. & Moiseev, V. F. “Prediction of reliability indicators, thermoelectric cooling devices. Book 1. One–stage devices”. *Publ. Polytehprirodika*, Odessa: Ukraine. 2009. 120 p.

20. Zaykov, V., Mescheryakov, V. & Zhuravlov, Y. “Analysis of relationship between the dynamics of a thermoelectric cooler and its design and modes of operation”. *Eastern-European Journal of Enterprise Technologies*. <https://www.scopus.com/authid/detail.uri?authorId=57192640885>. 2018; 8 (91): 12–24. DOI: <https://doi.org/10.15587/1729-4061.2018.123891>.

**Conflicts of Interest:** the authors declare no conflict of interest

Received 15.10.2022

Received after revision. 11.12.2022

Accepted 19.12.2022

DOI: <https://doi.org/10.15276/aait.05.2022.21>

УДК 004.662.99·519.6

## Управління комплексом термоелектричних охолоджуючих пристроїв зі змішаним електричним з’єднанням у рівномірному температурному полі

**Зайков Володимир Петрович** <sup>1)</sup>

ORCID: <http://orcid.org/0000-0002-4078-3519>; gradan@i.ua. Scopus ID: 57192640250

**Мещеряков Володимир Іванович** <sup>2)</sup>

ORCID: <http://orcid.org/0000-0003-0499-827X>; gradan@ua.fm. Scopus ID: 57192640885

**Журавльов Юрій Іванович** <sup>3)</sup>

ORCID: <http://orcid.org/0000-0001-7342-1031>; ivanovich1zh@gmail.com. Scopus ID: 57190425471

<sup>1)</sup> Науково-дослідницький інститут «ШТОРМ», вул. Терешкової 27. Одеса, 65076, Україна

<sup>2)</sup> Одеський державний екологічний університет, вул. Львівська, 15. Одеса, 65026, Україна

<sup>3)</sup> Національний університет «Одеська морська академія», вул. Дідріхсона, 8. Одеса, 65029, Україна

### АНОТАЦІЯ

Розглянуто можливість оптимального управління тепловим режимом ряду термозалежних та теплонавантажених елементів радіоелектронної апаратури з розрахунковою потужністю розсіювання. Дослідження проведено в рівномірному температурному полі з використанням комплексу термоелектричних охолоджувальних пристроїв та певною геометрією гілок термоелементів. Отримано співвідношення для визначення відносного робочого струму залежно від відносного перепаду температури для заданої напруги перепаду для заданої напруги живлення, теплового навантаження та геометрії гілок термоелементів, визначено область дійсних значень відносного робочого струму. Проведено порівняльний аналіз основних параметрів, показників надійності та динамічних характеристик групи термоелектричних пристроїв, що входять до комплексу для різних напруг живлення та теплового навантаження. Показано можливість вибору напруг живлення комплексу термоелектричних пристроїв з урахуванням обмежувальних факторів за масогабаритними, енергетичними, динамічними та надійними характеристиками для забезпечення оптимального теплового режиму низки термозалежних елементів радіоелектронної апаратури. Зі зростанням напруги живлення комплексу термоелектричних пристроїв зі змішаним електричним з’єднанням у рівномірному температурному полі при заданому тепловому навантаженні та геометрії гілок термоелементів досягаються наступні результати. Збільшується час виходу на стаціонарний режим, збільшується кількість термоелементів, зменшується холодильний коефіцієнт, збільшується кількість витраченої енергії, збільшується тепловідвідна здатність радіатора, функціональна залежність ймовірності безвідмовної роботи від загальної напруги має максимум.

**Ключові слова:** термоелектричний охолоджувач; тепловий режим; моделі зв’язку; показники надійності; динамічні характеристики

### ABOUT THE AUTHORS



**Vladimir P. Zaykov** - PhD in Engineering Sciences, Head of Sector. Research Institute “STORM”. 27, Tereshkova Str. Odessa, 65076, Ukraine

ORCID: <http://orcid.org/0000-0002-4078-3519>; gradan@i.ua. Scopus Author ID: 57192640250.

**Research field:** Reliability and dynamic descriptions of thermo-electric cooling devices; design, planning of the systems of providing of the thermal modes of electronic apparatus

**Зайков Володимир Петрович** - кандидат технічних наук, начальник сектору науково-дослідного інституту «ШТОРМ», вул. Терешкової 27. Одеса, 65076, Україна



**Vladimir I. Mescheryakov** - Doctor of Engineering Sciences, Professor, Head of Department of Informatics. State Environmental University. 15, Lvivska Str. Odessa, 65026, Ukraine.

ORCID: <http://orcid.org/0000-0003-0499-827X>; gradan@ua.fm. Scopus Author ID: 57192640885

**Research field:** Reliability and dynamic descriptions of thermo-electric cooling devices; design of power processes; informative systems

**Мещеряков Володимир Іванович** - доктор технічних наук, зав. кафедри Інформатики. Одеський державний екологічний університет, вул. Львівська, 15. Одеса, 65026, Україна



**Yurii I. Zhuravlov** - PhD in Engineering Sciences, Associate Professor of Department of Technology of Materials and Ship Repair. National University “Odessa Maritime Academy”, 8, Didrikhson Str. Odessa, 65029, Ukraine

ORCID: <http://orcid.org/0000-0001-7342-1031>; ivanovich1zh@gmail.com. Scopus Author ID: 57190425471

**Research field:** Reliability and dynamic descriptions of thermo-electric cooling devices; reliability and reparability of ship equipment

**Журавльов Юрій Іванович** - кандидат технічних наук, доцент кафедри Технології матеріалів і судноремонту. Національний університет “Одеська морська академія”, вул. Дідріхсона, 8. Одеса, 65029, Україна